#### FEDERAL OPERATING PERMIT

#### A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO

El Paso Natural Gas Company, L.L.C.

#### AUTHORIZING THE OPERATION OF

Plains Compressor Station Natural Gas Transmission LOCATED AT

Yoakum County, Texas

Latitude 32° 58' 21" Longitude 102° 44' 54"

Regulated Entity Number: RN100211747

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: _	<u> </u>	Issuance Date	e:	
For the C	ommission			

# **Table of Contents**

Section	Page
General Terms and Conditions	1
Special Terms and Conditions	1
Emission Limitations and Standards, Monitoring and Testing, and	
Recordkeeping and Reporting	1
Additional Monitoring Requirements	6
New Source Review Authorization Requirements	
Compliance Requirements	7
Permit Location	
Permit Shield (30 TAC § 122.148)	
Attachments	9
Applicable Requirements Summary	10
Additional Monitoring Requirements	17
Permit Shield	
New Source Review Authorization References	
Appendix A	29
Acronym List	30

#### **General Terms and Conditions**

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

## Special Terms and Conditions: Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

- 1. Permit holder shall comply with the following requirements:
  - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
  - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.

- C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
- D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
- E. Emission units subject to 40 CFR Part 63, Subpart ZZZZ as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.1090 which incorporates the 40 CFR Part 63 Subpart by reference.
- 2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
  - A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
  - B. Title 30 TAC § 101.3 (relating to Circumvention)
  - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
  - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
  - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
  - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
  - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
  - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
  - I. Title 30 TAC § 101.222 (relating to Demonstrations)
  - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
- 3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:

- A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
  - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
  - (ii) Title 30 TAC § 111.111(a)(1)(E)
  - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
  - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO<sub>x</sub>, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the "Applicable Requirements Summary" attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:
    - (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
    - (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.

- (3) Records of all observations shall be maintained.
- (4)Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

### (5) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation

- on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.
- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.
- B. For emission units with contributions from uncombined water, the permit holder shall comply with the requirements of 30 TAC § 111.111(b).
- C. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
  - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
  - (ii) Sources with an effective stack height ( $h_e$ ) less than the standard effective stack height ( $H_e$ ), must reduce the allowable emission level by multiplying it by  $[h_e/H_e]^2$  as required in 30 TAC § 111.151(b)
  - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
- D. Outdoor burning, as stated in 30 TAC § 111.201, shall not be authorized unless the following requirements are satisfied:
  - (i) Title 30 TAC § 111.207 (relating to Exception for Recreation, Ceremony, Cooking, and Warmth)
  - (ii) Title 30 TAC § 111.219 (relating to General Requirements for Allowable Outdoor Burning)
  - (iii) Title 30 TAC § 111.221 (relating to Responsibility for Consequences of Outdoor Burning)
- 4. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
- 5. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records

sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

#### **Additional Monitoring Requirements**

6. The permit holder shall comply with the periodic monitoring requirements as specified in the attached "Periodic Monitoring Summary" upon issuance of the permit. Except for, as applicable, monitoring malfunctions, associated repairs, and required quality assurance or control activities (including, as applicable, calibration checks and required zero and span adjustments), the permit holder shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the pollutant-specific emissions unit is operating. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time specified in the "Periodic Monitoring Summary," for purposes of determining whether a deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular instances to avoid reporting deviations. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).

## **New Source Review Authorization Requirements**

- 7. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
  - A. Are incorporated by reference into this permit as applicable requirements
  - B. Shall be located with this operating permit
  - C. Are not eligible for a permit shield
- 8. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.

- 9. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, material safety data sheets (MSDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144.
  - A. If applicable, monitoring of control device performance or general work practice standards shall be made in accordance with the TCEQ Periodic Monitoring Guidance document.
  - B. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).

#### **Compliance Requirements**

- 10. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
- 11. Use of Discrete Emission Credits to comply with the applicable requirements:
  - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
    - (i) Title 30 TAC Chapter 115
    - (ii) Title 30 TAC Chapter 117
    - (iii) If applicable, offsets for Title 30 TAC Chapter 116
    - (iv) Temporarily exceed state NSR permit allowables
  - B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:

- (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
- (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
- (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
- (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

#### **Permit Location**

12. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

#### **Permit Shield (30 TAC § 122.148)**

13. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

### **Attachments**

**Applicable Requirements Summary** 

**Additional Monitoring Requirements** 

**Permit Shield** 

**New Source Review Authorization References** 

Unit Summary	11
Applicable Requirements Summary	14

Note: A "none" entry may be noted for some emission sources in this permit's "Applicable Requirements Summary" under the heading of "Monitoring and Testing Requirements" and/or "Recordkeeping Requirements" and/or "Reporting Requirements." Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

# **Unit Summary**

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
AIR-1	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R1111-1	30 TAC Chapter 111, Visible Emissions	No changing attributes.
AUX 01	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R1111-1	30 TAC Chapter 111, Visible Emissions	No changing attributes.
BDV	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R1111-2	30 TAC Chapter 111, Visible Emissions	No changing attributes.
CTBD	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	N/A	R1111-1	30 TAC Chapter 111, Visible Emissions	No changing attributes.

# **Unit Summary**

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
GRPPRE1972	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	CHEMSOLTK1, CHEMSOLTK2, CLARIFIER, DIESEL-TK, ENGOIL-TNK, GAS-TNK, H2SO4-TANK, JKOIL-TNK1, JKOIL-TNK2, JKWTR-TNK, LUBEOIL1, LUBEOIL2, SOLVENT-TK, USEDOIL-TK	R1111-3	30 TAC Chapter 111, Visible Emissions	No changing attributes.
GRPRECIP	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	RECIP-A01, RECIP-A02, RECIP-A03, RECIP-A04, RECIP-A05, RECIP-A06, RECIP-A07, RECIP-A09, RECIP-A10, RECIP-A11, RECIP-A12, RECIP-A12, RECIP-A13, RECIP-A14, RECIP-A15	R1111-1	30 TAC Chapter 111, Visible Emissions	No changing attributes.

# **Unit Summary**

Unit/Group/ Process ID No.	~ -	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
AIR-1	SRIC ENGINES	N/A	63ZZZZ-AIR	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
EMER-GEN	SRIC ENGINES	N/A	63ZZZZ- EMERGEN	40 CFR Part 63, Subpart ZZZZ	No changing attributes.

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
AIR-1	ЕР	R1111-1	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(A) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 30% averaged over a six minute period.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
AUX 01	EP	R1111-1	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(A) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 30% averaged over a six minute period.	[G]§ 111.111(a)(1)(F) *** See Periodic Monitoring Summary	None	None
BDV	EP	R1111-2	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(A)	Visible emissions from any stationary vent shall not exceed an opacity of 30% averaged over a six-minute period. The emissions from this vent originate from colorless VOCs, nonfuming liquids, or other sources that are not capable of obstructing the transmission of light. These vents are not capable of exceeding the opacity standards of 30 TAC Chapter 111 and therefore no monitoring is required to demonstrate compliance.	None	None	None
CTBD	ЕР	R1111-1	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(A) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 30% averaged over a six minute period.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
GRPPRE1972	EP	R1111-3	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(A)	Visible emissions from any stationary vent shall not exceed an opacity of 30% averaged over a six-minute period. The emissions from this vent originate from colorless VOCs, nonfuming liquids, or other sources that are not capable of obstructing the transmission of light. These vents are not capable of exceeding the opacity standards of 30 TAC Chapter 111 and therefore no monitoring is required to demonstrate compliance.	None	None	None
GRPRECIP	EP	R1111-1	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(A) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 30% averaged over a six minute period.	[G]§ 111.111(a)(1)(F) *** See Periodic Monitoring Summary	None	None
AIR-1	EU	63ZZZZ- AIR	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6602 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart ZZZZ

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
EMER-GEN	EU	63ZZZZ- EMERGE N	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6602 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	comply with the applicable requirements of 40 CFR Part 63, Subpart ZZZZ		The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart ZZZZ

	Additional Monit	toring Require	ements	
Periodic Monitoring	g Summary	•••••	•••••	18

Unit/Group/Process Information							
ID No.: AIR-1							
Control Device ID No.: N/A	Control Device Type: N/A						
Applicable Regulatory Requirement							
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R1111-1						
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(A)						
Monitoring Information							
Indicator: Fuel Type							
Minimum Frequency: Annually							
Averaging Period: n/a							
Deviation Limit: If an alternate fuel is fired, it shall be considered a deviation.							
Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, it shall be considered and reported as a deviation.							

Unit/Group/Process Information							
ID No.: AUX 01							
Control Device ID No.: N/A	Control Device Type: N/A						
Applicable Regulatory Requirement							
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R1111-1						
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(A)						
Monitoring Information							
Indicator: Fuel Type							
Minimum Frequency: Annually							
Averaging Period: n/a							
Deviation Limit: If an alternate fuel is fired, it shall be considered a deviation.							
Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, it shall be considered and reported as a deviation.							

Unit/Group/Process Information		
ID No.: CTBD		
Control Device ID No.: N/A	Control Device Type: N/A	
Applicable Regulatory Requirement		
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R1111-1	
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(A)	
Monitoring Information		
Indicator: Fuel Type		
Minimum Frequency: Annually		
Averaging Period: n/a		
Deviation Limit: If an alternate fuel is fired, it shall be considered a deviation.		
Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, it shall be considered and reported as a deviation.		

Unit/Group/Process Information		
ID No.: GRPRECIP		
Control Device ID No.: N/A	Control Device Type: N/A	
Applicable Regulatory Requirement		
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R1111-1	
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(A)	
Monitoring Information		
Indicator: Fuel Type		
Minimum Frequency: Annually		
Averaging Period: n/a		
Deviation Limit: If an alternate fuel is fired, it shall be considered a deviation.		

Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, it shall be considered and

reported as a deviation.

	Permit Shield	
Permit Shield	•••••	23

#### **Permit Shield**

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
FUGITIVES	N/A	40 CFR Part 60, Subpart KKK	Facility is not a Natural Gas Processing Plant.
FUGITIVES	N/A	40 CFR Part 63, Subpart HH	Facility is in the natural gas transmission source category which is not subject to this subpart.
FUGITIVES	N/A	40 CFR Part 63, Subpart HHH	No affected sources under this regulation at this site.
AUX 01	N/A	40 CFR Part 60, Subpart JJJJ	Not applicable to engines built prior to July 1, 2007; and not modified or reconstructed subsequent to June 12, 2006.
AUX 01	N/A	40 CFR Part 63, Subpart ZZZZ	Existing emergency stationary RICE with a site rating of more than 500 brake HP located at a major source of HAP emissions.
EMER-GEN	N/A	40 CFR Part 60, Subpart JJJJ	Not applicable to engines built prior to July 1, 2007; and not modified or reconstructed subsequent to June 12, 2006.

#### **Permit Shield**

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
GRPRECIP	RECIP-A01, RECIP-A02, RECIP-A03, RECIP-A04, RECIP-A05, RECIP-A06, RECIP-A07, RECIP-A08, RECIP-A09, RECIP-A10, RECIP-A11, RECIP-A12, RECIP-A13, RECIP-A14, RECIP-A15	40 CFR Part 60, Subpart JJJJ	Not applicable to engines built prior to July 1, 2007; and not modified or reconstructed subsequent to June 12, 2006.
GRPRECIP	RECIP-A01, RECIP-A02, RECIP-A03, RECIP-A04, RECIP-A05, RECIP-A06, RECIP-A07, RECIP-A08, RECIP-A09, RECIP-A10, RECIP-A11, RECIP-A12, RECIP-A13, RECIP-A14, RECIP-A15	40 CFR Part 63, Subpart ZZZZ	No applicable requirements for an existing 2SLB stationary RICE with site rating greater than 500-hp at a major source.

New Source Review Authorization References
New Source Review Authorization References 26
New Source Review Authorization References by Emission Unit 27

### **New Source Review Authorization References**

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.		
Authorization No.: 73676	Issuance Date: 06/16/2005	
Permits By Rule (30 TAC Chapter 10	6) for the Application Area	
Number: 106.183	Version No./Date: 09/04/2000	
Number: 106.352	Version No./Date: 09/04/2000	
Number: 106.355	Version No./Date: 11/01/2001	
Number: 106.359	Version No./Date: 09/10/2013	
Number: 106.511	Version No./Date: 09/04/2000	
Number: 6	Version No./Date: 05/08/1972	
Number: 7	Version No./Date: 05/08/1972	
Number: 9	Version No./Date: 05/08/1972	
Number: 16	Version No./Date: 05/08/1972	
Number: 59	Version No./Date: 05/08/1972	
Number: 69	Version No./Date: 12/01/1972	

## **New Source Review Authorization References by Emissions Unit**

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
AIR-1	STAND-BY AIR COMPRESSOR	106.511/09/04/2000
AUX 01	COOPER-BESSEMER JS-8-G	6/05/08/1972
BDV	BLOWDOWN VENT	106.359/09/10/2013
CHEMSOLTK1	30-GAL CHEMICAL SOLVENT TANK 1	106.352/09/04/2000
CHEMSOLTK2	30 GAL CHEMICAL SOLVENT TANK 2	106.352/09/04/2000
CLARIFIER	CLARIFIER (OIL-WATER SEPARATOR)	106.352/09/04/2000
CTBD	COOLING TOWER BLOWDOWN	9/05/08/1972
DIESEL-TK	250-GAL DIESEL TANK	106.352/09/04/2000
EMER-GEN	20-KW EMERGENCY GENERATOR	106.511/09/04/2000
ENGOIL-TNK	950-GAL ENGINE LUBE OIL TANK	59/05/08/1972
FUGITIVES	FACILITY FUGITIVES	106.352/09/04/2000
GAS-TNK	250-GAL GASOLINE TANK	106.352/09/04/2000
H2SO4-TANK	750-GAL SULFURIC ACID FOR COOLING WATER TREATMENT	16/05/08/1972
JKOIL-TNK1	1,000-GAL JACKET & OIL-WATER TANK	106.352/09/04/2000
JKOIL-TNK2	750-GAL JACKET & OIL-WATER TANK	106.352/09/04/2000
JKWTR-TNK	3,800 GAL JACKET WATER TANK	106.352/09/04/2000
LUBEOIL1	210-BBL ENGINE OIL LUBE 1	59/05/08/1972
LUBEOIL2	210-BBL ENGINE OIL LUBE 2	59/05/08/1972

# **New Source Review Authorization References by Emissions Unit**

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
RECIP-A01	COOPER-BESSEMER GMVA-10	73676
RECIP-A02	COOPER-BESSEMER GMVA-10	73676
RECIP-Ao3	COOPER-BESSEMER GMVA-10	73676
RECIP-A04	COOPER-BESSEMER GMVA-10	73676
RECIP-A05	COOPER-BESSEMER GMVA-10	73676
RECIP-Ao6	COOPER-BESSEMER GMVA-10	73676
RECIP-A07	COOPER-BESSEMER GMVA-10	73676
RECIP-Ao8	COOPER-BESSEMER GMVA-10	73676
RECIP-A09	COOPER-BESSEMER GMVA-10	73676
RECIP-A10	COOPER-BESSEMER GMVA-10	73676
RECIP-A11	COOPER-BESSEMER GMVC-10	7/05/08/1972
RECIP-A12	COOPER-BESSEMER GMVA-10	7/05/08/1972
RECIP-A13	COOPER-BESSEMER GMWC-10	73676
RECIP-A14	COOPER-BESSEMER GMWC-10	73676
RECIP-A15	COOPER-BESSEMER GMVC-10	7/05/08/1972
SOLVENT-TK	250-GAL SOLVENT (EXXOL D80) TANK	106.352/09/04/2000
USEDOIL-TK	USED OIL TANK (BELOW GRADE-5,880-GAL, FIBERGLASS)	106.352/09/04/2000

Appendix A
Acronym List30

# **Acronym List**

The following abbreviations or acronyms may be used in this permit:

ACEM	actual cubic feet per minute
	actual cubic feet per fillitute alternate means of control
	Acid Rain Program
	Beaumont/Port Arthur (nonattainment area)
CAM	
CD	control device
COMS	continuous opacity monitoring system
CVS	closed-vent system
	Dallas/Fort Worth (nonattainment area)
	Designated Representative
	El Paso (nonattainment area)
EP	emission point
	U.S. Environmental Protection Agency
	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
GF	grandfathered
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
	hydrogen sulfide
	identification number
	pound(s) per hour
MMBtu/hr	
	monitoring, recordkeeping, reporting, and testing
	nonattainment
	not applicable
	National Allowance Data Base
	nitrogen oxides
NSPS N	ew Source Performance Standard (40 CFR Part 60)
NSR	
ORIS	Office of Regulatory Information Systems
	lead
	Permit By Rule
pon	parts per million by volume
	prevention of significant deterioration
	Texas Commission on Environmental Quality
	total suspended particulate
	true vapor pressure
VOC	volatile organic compound